

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"Complete sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S2	0	"partial sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S3	0	"partial sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S4	0	PSNP same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:24
S5	187	CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:24
S6	5	PSNP and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:42
S7	186	((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:51
S8	6	((((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) same (offline or recover\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:47
S9	8	((((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) and heartbeat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:48

EAST Search History

S10	15	((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) and (heartbeat or hello or PSNP or CSNP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:48
S11	10	((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) and (heartbeat or hello or PSNP or CSNP)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:59
S12	0	("IS-IS" and @ad<"20010427") and PSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:00
S13	1	("IS-IS" and @ad<"20010427") and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:00
S14	25	709/238,242.ccls. and 714/4.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/18 14:07
S15	22	(709/238,242.ccls. and 714/4.ccls.) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:44
S16	1084	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:14
S17	1983	709/238,242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:14
S18	546	370/216.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S19	637	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S20	50	709/238,242.ccls. and (370/216.ccls. or 370/254.ccls.)	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S21	47	(709/238,242.ccls. and (370/216.ccls. or 370/254.ccls.)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:27

EAST Search History

S22	4	714/4.ccls. and ("IS-IS" and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:34
S23	173	"IS-IS" and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:45
S24	5646	(dummy or null or empty) near3 (packet\$1 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S25	7	"IS-IS" and ((dummy or null or empty) near3 (packet\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S26	5	("IS-IS" and ((dummy or null or empty) near3 (packet\$1 or message\$1))) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S27	303	"IS-IS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:45
S28	4	"IS-IS" same heartbeat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:46
S29	25	"IS-IS" same (restart\$3 or recover\$3 or reboot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:47
S30	12	("IS-IS" same (restart\$3 or recover\$3 or reboot\$3)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 20:39
S31	8	PSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:18

EAST Search History

S32	1	PSNP and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:19
S33	8	"partial sequence number"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:19
S34	3	"partial sequence number" and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 18:58
S35	0	reference near2 ((node or address or device) near2 (existen\$2 or non-existen\$2)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 18:59
S36	353	((node or address or device) near2 (existen\$2 or non-existen\$2)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 19:00
S37	45	((((node or address or device) near2 (existen\$2 or non-existen\$2)) same network) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 20:32
S38	34	(((((node or address or device) near2 (existen\$2 or non-existen\$2)) same network) same packet) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 19:00
S39	7	PSNP and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:19
S40	4	714/4.ccls. and (("IS-IS" or CSNP) and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:34
S41	54	709/238,242.ccls. and (370/216. ccls. or 370/254.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/05/17 18:47
S42	5	csnp and @pd>"20040907" and @ad<"20010427"	US-PGPUB; USPAT	OR	OFF	2005/05/26 17:43

EAST Search History

S43	6988	((dummy or null or empty) near3 (packet\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:51
S44	3623	((dummy or null or empty) near (packet\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:51
S45	3	"Complete sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:44
S46	0	"partial sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S47	238	CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S48	242	S45 S46 S47 psnp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S49	0	S48 same S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S50	0	S48 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S51	1	S44 and IS-IS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53
S52	9052	routing near (table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53

EAST Search History

S53	9	S52 same S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53
S54	5	S53 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53
S55	13	(((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) and (heartbeat or hello or PSNP or CSNP)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:14
S56	13	S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:59
S57	45	("5093824" "5412376" "5590118" "5596722" "5646936" "5687167" "5737319" "5781528" "5805578" "5805593" "5835696" "5881048" "5881246" "5884297" "5920257" "5933425" "5959972" "5987526" "5995503" "5999286" "6041049" "6047331" "6075766" "6097696" "6097722" "6115753" "6130881" "6134671" "6148000" "6154778" "6259673" "6272107" "6275492" "6282170" "6301244" "6304549" "6347078" "6370119" "6400681" "6430150" "6457050" "6463062" "6504845").PN. OR ("6856627"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/21 16:01
S58	129	(((dummy or null or empty) near3 (packet\$1 or message\$1))) and (heartbeat or hello or PSNP or CSNP)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:15

EAST Search History

S59	116	S58 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:15
S60	32	("5129082" "5249268" "5265092" "5276871" "5280498" "5479654").PN. OR ("5742820").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/21 16:44
S61	9	("4667324" "4736363" "5159595" "5473599" "5519704" "5608733" "5699351" "6205142" "6229819").PN. OR ("6590868"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/22 12:58
S62	5	714/4.ccls. and ("IS-IS" and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 13:33
S63	106	714/4.ccls. and ((heartbeat or hello) and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 13:33
S64	9	"link state" same csnp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/23 14:40
S65	3	S64 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/23 14:43
S66	248	"Complete sequence numbers packet" or csnp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:44
S67	44	S66 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:45
S68	5	("5754547" "6553423" "6597663" "6683865").PN. OR ("6820134").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 19:25

EAST Search History

S69	1	((node or address or device) near2 (existen\$2 or non-existen\$2 or null or dummy or empty)) same network) same rout\$3 near database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 20:33
S70	11	((node or address or device) near2 (existen\$2 or non-existen\$2 or null or dummy or empty)) same network) same rout\$3 near (database or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:41
S71	139	((rout\$3 near (table or database)) same (restart\$3 or recover\$3 or reboot\$3)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:40
S72	2633	709/238,242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:25
S73	96	S72 and @ad<"20010427" and @pd>"20050501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:33
S74	1402	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:33
S75	23	S74 and @ad<"20010427" and @pd>"20050501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:36
S76	706	370/216.ccls.	US-PGPUB; USPAT	OR	OFF	2005/12/01 21:36
S77	991	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2005/12/01 21:36
S78	57	(S76 S77) and @ad<"20010427" and @pd>"20050501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S79	1329	((rout\$3 near (table or database)) same (updat\$3)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:40

EAST Search History

S80	4	((((node or address or device) near2 (existen\$2 or non-existen\$2 or null or dummy or empty)) same network) same (restart\$3 or recover\$3 or reboot\$3 or updat\$3) same rout\$3 near (table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S81	71	((((node or address or device) near2 (existen\$2 or non-existen\$2 or null or dummy or empty)) same network) same (restart\$3 or recover\$3 or reboot\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S82	35	S81 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S83	4	"Complete sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 14:28
S84	531	"link state" with (database or storage or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 14:29
S85	189	S84 same (updat\$3 or refresh\$3 or restart\$3 or reboot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 14:31
S86	71	S85 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:08
S87	550	709/237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:09
S88	24	(complete near sequenc\$3) near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:10

EAST Search History

S89	4	(partial near sequenc\$3) near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:10
S90	2	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:13
S91	550	709/237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S92	53277	"714"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S93	54	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S94	20	"L54" and (709/238-243.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S95	22	S93 and (709/238-243.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:15
S96	21	S95 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:15
S97	2	("6820134").URPN.	USPAT	OR	OFF	2006/06/10 15:43